



## PRODUCT SPECIFICATIONS:

**Operation:** Driven by double-acting pneumatic cylinder

**Sealing Device:** Special sealing device for low friction and optimum airtightness

**Cylinder Configuration:** One or two cylinders (depending on size)

**REGULATES AND CONTROLS AIRFLOW OR GASES IN INDUSTRIAL APPLICATIONS AND ALLOWS FOR PRECISE ADJUSTMENT OF AIRFLOW IN VENTILATION SYSTEMS OR DUCTWORK**

## FEATURES:

- **Automatic Energy Saving:**  
Designed to provide automatic energy-saving operation, reducing energy consumption and improving efficiency.
- **Double Acting Pneumatic Cylinders:** Ensures reliable and precise control over airflow and ventilation.
- **Special Sealing Device:** Offers low friction and optimum air tightness for minimal leakage and desired airflow control.

## BENEFITS:

- **Energy Efficiency:**  
Reduces energy consumption, resulting in cost savings and environmental sustainability
- **Reliable Air Control:**  
Provides precise control over airflow for accurate adjustment as per system requirements
- **Enhanced Air Tightness:**  
Minimizes air leakage, maintaining optimal airtightness and preventing loss of conditioned air
- **Versatile Application:**  
Suitable for HVAC systems, industrial ventilation, and process control in a wide range of industrial applications